

## 7.01

Sample ID: BIA241003S0005  
 Strain: Wally Ace

Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 6.52 g  
 Lot#:

Produced:  
 Collected:  
 Received: 10/03/2024  
 Completed: 10/23/2024  
 Batch#:

Client  
**Clovis LLC**  
 Lic. # CLTV0099  
 506 Marcoux Rd  
 Hyde Park, VT 05655



### Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	10/04/2024	Complete
Moisture	10/03/2024	9.90% - Complete
Water Activity	10/03/2024	0.486 aw - Complete
Terpenes	10/22/2024	Complete
Microbials	10/10/2024	Complete

### Cannabinoids

Completed

21.11%		0.07%		24.64%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOQ	Results	Results	Mass	
	mg/g	%	mg/g	mg/serving	
CBDVa	0.0005	<LOQ	<LOQ		
CBDV	0.0012	<LOQ	<LOQ		
CBDa	0.0008	0.08	0.8		
CBGa	0.0008	0.44	4.4		
CBG	0.0019	0.06	0.6		
CBD	0.0019	<LOQ	<LOQ		
THCV	0.0021	<LOQ	<LOQ		
CBN	0.0013	<LOQ	<LOQ		
Δ9-THC	0.0020	0.36	3.6		
Δ8-THC	0.0019	<LOQ	<LOQ		
Δ10-THC	0.0002	0.04	0.4		
CBC	0.0024	<LOQ	<LOQ		
THCa	0.0034	23.66	236.6		
<b>Total THC</b>		<b>21.11</b>	<b>211.09</b>		
<b>Total CBD</b>		<b>0.07</b>	<b>0.68</b>		
<b>Total</b>		<b>24.64</b>	<b>246.41</b>	<b>0.00</b>	

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




Luke Emerson-Mason  
 Laboratory Director  
 10/23/2024

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



## 7.01

 Sample ID: BIA241003S0005  
 Strain: Wally Ace

 Produced:  
 Collected:  
 Received: 10/03/2024  
 Completed: 10/23/2024  
 Batch#:

 Client  
**Clovis LLC**  
 Lic. # CLTV0099  
 506 Marcoux Rd  
 Hyde Park, VT 05655


 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 6.52 g  
 Lot#:

### Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	5.121	0.512
β-Caryophyllene	0.010	3.875	0.388
Ocimene	0.010	3.433	0.343
β-Myrcene	0.010	1.968	0.197
α-Humulene	0.010	1.642	0.164
β-Pinene	0.010	1.075	0.107
Linalool	0.010	1.043	0.104
α-Pinene	0.010	0.694	0.069
Camphene	0.010	0.120	0.012
Terpinolene	0.010	0.064	0.006
3-Carene	0.010	0.037	0.004
α-Bisabolol	0.010	0.027	0.003
Caryophyllene Oxide	0.010	0.012	0.001
α-Terpinene	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
γ-Terpinene	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>19.111</b>	<b>1.911</b>

### Primary Aromas

 Orange	 Cinnamon	 Earthy	 Hops	 Pine
---	---	---	---	---

Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 10/23/2024

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)




## 7.01

Sample ID: BIA241003S0005  
Strain: Wally Ace

Matrix: Plant  
Type: Flower - Cured  
Sample Size: 6.52 g  
Lot#:

Produced:  
Collected:  
Received: 10/03/2024  
Completed: 10/23/2024  
Batch#:

Client  
**Clovis LLC**  
Lic. # CLTV0099  
506 Marcoux Rd  
Hyde Park, VT 05655

## Pathogens

Completed

Pathogens	LOD CFU/g	Results CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes



Luke Emerson-Mason  
Laboratory Director  
10/23/2024

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

